


# JANGO

WRAPPING PANTS

by



# Pants Made of Black Rip Stop Fabric.







## **JANGO combines two products: work trousers + tool pouch!**

These are technical and durable trousers with specially designed velcro zones, allowing you to attach and arrange tools according to your personal habits and needs.

The 8 included accessories let you position your tools on the trousers depending on the activity and the posture required for a specific job.

Which accessories to use, how to position them, and at what angle—this is something that should be adjusted before starting any new task. Each wrapper will organize their tools based on the activity: PPF, car wrapping, window film, etc.

The trousers are made from highly resistant nylon fabric, featuring a cross-weave pattern that helps prevent the spread of cuts and tears. Large CORDURA® reinforcements on the knees and seat provide maximum durability, protection, and resistance in the most stressed and wear-prone areas.

Molded pockets for double-density foam knee pads ensure both protection and comfort.

Three velcro adjustments at the waist, knees, and ankles allow for a perfect fit tailored to your body.

This adjustment system also allows you to size up for a more “comfortable” fit and greater freedom of movement, all without unwanted bulk.


JANGO trousers are highly visible, thanks to reflective elements along all seams and edges in the front, sides, and back.

Hidden buttons and seamless surfaces help protect the application areas.

Comfort and ventilation are enhanced by zippered openings in the inner thigh area and the ability to remove the leg section below the knees.

JANGO is available in sizes S - M - L - XL - XXL, according to international sizing charts.

enjoy your wrap



# ACCESSORIES

JANGO comes with foam protectors already inserted into the knee pad pockets, along with 8 accessories dedicated to the most common application tools:

- Accessory 1: LARGE POCKET – replicates the spacious pocket of a standard wrapping tool belt
- Accessory 2: SMALL POCKET – ideal for 10 cm squeegees
- Accessory 3: CUTTER HOLDER 1 – with open elastic bands
- Accessory 4: CUTTER HOLDER 2 – with closed elastics towards the bottom
- Accessory 5: SQUEEGEE HOLDER – suitable for water squeegees, squeegees, and spray bottles
- Accessory 6: MAGNETIC STRAP – perfect for attaching HULK magnets or cutters
- Accessory 7: PIN HOLDER – with flat elastic bands to hold OXY Pins or other wand-shaped tools
- Accessory 8: PHONE HOLDER – with pen holder
- Accessory 9: KNEE PAD INSERTS – Molded dual-density foam protectors for the knees



ACCESSORY 1



ACCESSORY 2



ACCESSORY 3



ACCESSORY 4



ACCESSORY 5



ACCESSORY 6



ACCESSORY 7



ACCESSORY 8




ACCESSORY 9





**INTERNATIONAL TROUSERS SIZE CONVERSION TABLE**

	INTERNATIONAL	S	M	L	XL	XXL	XXXL
Size guide	IT	42-44	44-46	46-48	50-52	52-54	56-58
	DE	40-42	42-44	44-46	48-50	50-52	54-56
	FR	36-38	38-40	40-42	44-46	46-48	48-50
	UK	28-30	30-32	32-34	34-36	36-38	40-42
	US	28-30	30-32	32-34	34-36	36-38	40-42
	HEIGHT (C) CMs	163-166	167-171	172-177	178-183	184-188	189-192
	HEIGHT (C) FEET	5.34-5.44	5.47-5.60	5.64-5.80	5.83-6.00	6.03-6.16	6.19-6.29
	WAIST (B) CMs	70-74	74-80	80-86	86-92	92-99	99-106
	WAIST (B) INCHES	27.5-29.1	29.1-31.5	31.5-33.8	33.8-36.2	36.2-38.9	38.9-41.7




▪ Casual apparel

## WASHING

- Wash in lukewarm water, do not exceed 60°C
- Do not use bleach
- Turn the trousers inside out before washing
- Do not use fabric softener
- Do not iron

## TECHNICAL DATA SHEET

Fabric	<b>SW-302</b>		
Color	<b>Black</b>		
End Use	Workwear		
<b>FABRIC DESCRIPTION</b>	<b>CHARACTERISTICS</b>		
Fabric Composition	65% Polyester 35% Cotton		
Weight	245g/m <sup>2</sup> (+/- 3%)		
Weave	1/1 Ribstop		
Total Width	150cm		
<b>PHYSICAL PERFORMANCE</b>	<b>TEST METHODS AND RESULTS</b>		
	<b>International Tests</b>	<b>Results</b>	
Shrinkage	ISO 6330	Warp: 2%	Weft: 2%
Pilling	ISO 12945-2	2000 cycles	Grade: 4
Abraison	ISO 12947-2	25000 cycles	Not Broken
Tear Strength	Warp	ISO 13937-1	Warp 50 N
	Weft	ISO 13937-1	Weft 35 N
Tensile Strength	Warp	ISO 13934-1	Warp 1000 N
	Weft	ISO 13934-1	Weft 700 N
<b>COLOUR PERFORMANCE</b>	<b>TEST METHODS AND RESULTS</b>		
	<b>International Tests</b>	<b>Results</b>	
Rubbing	Dry	ISO 105-X 12	Grade: 4
	Wet	ISO 105-X 12	Grade: 2~3
Washing	Colour change	ISO 105 CO 6	Grade: 4
	Colour Staining (Pes + Cot)	ISO 105 CO 6	Grade: 3~4
Perspiration (Acidic)	Colour Change	ISO 105 EO4	Grade: 4
	Colour Staining (Pes + Cot)	ISO 105 EO4	Grade: 4
Perspiration (Alkaline)	Colour Change	ISO 105 EO4	Grade: 4
	Colour Staining (Pes + Cot)	ISO 105 EO4	Grade: 4
Colour Fastness to Water	Colour Change	ISO 105 EO1	Grade: 4
Light Fastness	Colour Staining (Pes + Cot)	ISO 105 EO1	Grade: 4
	ISO 105 BO2	Grade: 4	
<b>OTHER PROPERTIES</b>	<b>Standard/Normal Finish</b>		
<p>The data quoted is based upon specific materials and tested by source believed to be reliable and make no guarantee expressed or implied as to use, handling or possession of its products.</p> <p>Certain shades e.g. black,maroon,red and navy have lower values for wash fastness and wet rubbing fastness.</p> <p>A build up of softners can lead to fabric pilling and should be avoided.</p> <p>Characteristics may vary within commercial tolerances.</p> <p>Please consult Master for specific values.</p>			
<b>Care Instructions</b>			
<b>ISO 9001: 2008 REGISTERED COMPANY</b>			
THIS DOCUMENT IS FOR INFORMATION ONLY.			